

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011056.02-R1  
**DATE:** 04/09/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Window Crafts.  
**CODE:** 690-1  
**REVISION DATE:** 01/05/2015

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Window Craftsmen</b> <b>6031 Clark Center Avenue</b> <b>Sarasota, FL 34238</b>	<b>Series "SS-100"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XO  Glazing: Insulating Glass (Annealed)  Frame: W-1829mm(72") H-1219mm(48") Panel: W-895mm(35.25") H-1156mm(45.5")

SPECIFICATION	PRODUCT RATING
<b>TAS 202-94</b>	<b>Design Pressure: +55/-55 psf</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-14899-2  
Expiration Date: August 31, 2019

Administrator's Signature: \_\_\_\_\_

## **NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway**  
**Hayes, VA 23072**  
**Tel: (804) 684-5124**  
**Fax: (804) 684-5122**